



### Composite Amine KE 9727

Factory price Zhongyuan® Composite Amine KE 9727 is a kind of low odor reactive balanced amine catalyst, which is composed of several reactive tertiary amines. It has high activity and is composed of amines without concentration change or difference. It is a colorless transparent to light yellow liquid, without preparation, directly added, the amount of its catalytic equivalent to solid amine

Ningbo Zhongyuan Pigment Co.,Ltd. is a professional China Zhongyuan® Composite Amine KE 9727 manufacturer and supplier, if you are looking for the best Composite Amine KE 9727 with low price, consult us now! We do everything we can to add value to our customers' experiences, allowing us to be their best option.

#### Composite Amine KE 9727 Summary:

High quality Zhongyuan® Composite Amine KE 9727 made in China is a kind of low odor reactive balanced amine catalyst, which is composed of several reactive tertiary amines. It has high activity and is composed of amines without concentration change or difference. It is a colorless transparent to light yellow liquid, without preparation, directly added, the amount of its catalytic equivalent to solid amine

We're going to commit ourselves to giving our esteemed customers along with the most enthusiastically considerate providers for Quoted price for China Series High Retarding and Strengthening Composite Cement Grinding Aids for Increasing Cement Strength, Our company maintains safe business mixed by truth and honesty to keep long-term relationships with our customers. Quoted price for China Cement Grinding Aids, Cement Additive, Our items have national accreditation requirements for qualified, high quality products, affordable value, was welcomed by people today all over the world. Our goods will continue to enhance within the order and look forward to cooperation with you, Should any of these products be of interest to you, please let us know. We are going to be content to offer you a quotation up on receipt of your detailed needs.

We provide excellent toughness in excellent and advancement, merchandising, gross sales and promoting and operation for Rapid Delivery for China Composite Amine KE 9727, We are keeping durable business relationships with more than 200 wholesalers in the USA, the UK, Germany and Canada. If you are interested in any of our products, please feel free to contact us.



Rapid Delivery for China Composite Amine KE 9727, Stainless Steel Gear Metering Pump, We set a strict quality control system. We have return and exchange policy, and you can exchange within 7 days after receive the wigs if it is in new station and we service repairing free for our products. Please feel free to contact us for further information if you have any questions. We are glad to work for every client.

### **Composite Amine KE 9727 Detail**

1 Compared with A33, Ke9727 has the advantages of equilibrium reaction and stable reaction. It can reduce the density gradient of sponge, improve the quality of cross chain, reduce the amount of accumulation, and improve the performance of sponge in all aspects

2 KE9727 has the effect of surface activity, emulsifying and dispersing when the material is mixed, so that each component, especially water, is better evenly distributed, so that the pore size becomes more uniform. At the same time, the heat can be dispersed to avoid excessive concentration, which the core of foam will not burning easily

3 Compared with A33, when the sponge reaction is added with Ke9727, the rising process becomes mild and stable, and the post-ripening of sponge is accelerated and the molding is fast. Reduce foam split, The cutting part of sponge is reduced, the qualified rate of sponge is improved, and the production cost of sponge is reduced.

4 KE9727 is a low atomization catalyst, the sponge emitted low smell, belongs to the environmental protection products

5 KE9727 can be used for all soft foam, the dosage is 1/3 of A-33.

### **Composite Amine KE 9727 Applications :Industrial**

Widely used in High-grade soft block foam, slow rebound sponge, high rebound molding, etc

### **Composite Amine KE 9727 Usage&Packing:**

Usage: Add into polyol and full mixing

Packing: 180 Kgs/steel drum



[www.pumaterial.com](http://www.pumaterial.com)

**Tel:**+86-574-86501282

**Email:**[admin@zypuw.com](mailto:admin@zypuw.com)